



## **High-Rise Building Design Check List**

| Project Name   |   | Date  |
|--|---|---|
| Project Name   | Division 5 – Structural/Misc. Steel  Window Washing Rails  Support. Steel in Garage  Structural Supporting Steel  Railings  Handicapped Rails  Fences and Gates  Duncan Fence  Anchor Bolts  Relieving Angles  Lintels  Brick Ledges  Balcony Rails  Ladders  Trash Containers  Fire Escapes  Tree Guards  Catwalks  Gratings/Hatches  Channel and Stringers  for Exterior Stairs  Security Light Poles  Architectural/Ornamental Steel  Canopy Supports  Steel in Atrium Area  Steel in Laundry Area | Division 16 – Electrical  Exterior Anchor Bolts  Gratings  Pipe Supports  Supporting Steel for Mechanical/HVAC Equipment  Light Poles  Other  Proven Processes for High Potential Corrosion Areas  Duragalv (DG)  Enhanced hot dip galvanizing for today's steel utilizing environmentally friendly High Grade zinc.  Colorshield (CS)  A translucent polymer coating that is perfect for those areas where a hint of color is desired.  Primergalv (PG)  A factory applied universal primer for freshly galvanized steel, which is to receive a field-applied topcoat.  Colorgalv (CG) |
| <ul> <li>Relieving Angles</li> <li>Anchor Bolts</li> <li>Reinforcing Steel</li> <li>Mesh/Embedded Items</li> <li>Lintels</li> <li>Other</li> </ul> | Sunscreens/Trellises Flag Poles Curb Angles Pipe Stanchions Other   | A patented and warranteed factory- applied architectural color finish for hot dip galvanized steel.  Thermoset (TS)  A high performance, dry applied polyeste material that can be applied over ANY metal substrate including aluminum, or "black steel". Ideal for interior applications or wherever "architectural definition" is   |
| Division 4 - Masonry  Anchor Bolts Lintels Relieving Angles Brick Ledges Other  Duncan Galvanizing 69 Norman Street                                | Division 15 – Mechanical  Exterior Anchor Bolts  Catwalks  Gratings  Supporting Steel for Mechanical/HVAC Equipment  Equipment Screens  Louvers  Other  | required  Thermoplex (TP)  A high performance dry applied thermoplastic elastomeric coating that can be applied over ANY metal substrate including aluminum, or "black steel.  Exceptionally durable, it has been proven to withstand 20,000 salt spray testing.  Colorgalv Thermoset (CGTS) and Colorgalv Thermoplex (CGTP)  Where extreme corrosion is a concern, Duncan Colorgalv Thermoset and Duncan Colorgalv Thermoplex are designed to be applied over a freshly galvanized surface.  |

Quality Since 1890

Tel 617-389-8440 Fax 617-389-9277